Lower Body (Proximal Muscle) Exercises

Physical Therapy Home Program

Name	

____ Date _____

Therapist _____ Phone number _____

Instructions

- To make exercises harder, slowly increase the number of reps (repetitions).
- Work hard, but stay within your level of comfort.
- Exercises should not cause sharp pain. If you have pain, ease up on the movement. If you still have pain, stop.
- Do not hold your breath as you exercise. Breathe out as you move. Breathe in when you're in the resting (starting) position.
- Use a sturdy surface (like a kitchen counter) for balance during standing exercises.

How often to exercise

Do these exercises: _____

Special instructions

For informational purposes only. Not to replace the advice of your health care provider. Text copyright © 2008 Fairview Health Services. All rights reserved. High-stepping and knee-bend images copyright © 1989 Therapy Skill Builders, a division of Communication Skill Builders, Inc. From Progressive Individualized Exercises (PIE), by Joelle Schneider and Joan Carol Cecil. Reprinted with permission by Hammill Institute on Disabilities. All other images copyright © 1990–1993 VHI, reprinted with permission. Clinically reviewed by Jessica Kelly, PT. SMARTworks 520891 - REV 12/19.

Page 2 of 5

□ Lying kicks

Lie on your back. Place a rolled-up blanket under your knee. Straighten you knee, resting the back of your thigh on the blanket the whole time.

Hold for _____ seconds. Repeat _____ times.


Repeat with other leg.



Bridging

Lie with your knees bent and feet flat on the bed. Tighten the muscles in your stomach and buttocks, then slowly lift your hips up off the bed.

Hold for _____ seconds. Repeat _____ times.




Straight leg raises

Lie on your back. Bend one leg, placing your foot flat on the bed. With your other knee straight, tighten your thigh muscle and lift your leg several inches off the bed. Keep your leg straight.

Hold for ______ seconds, then slowly lower your leg.


Repeat _____ times with each leg.



Page 3 of 5

□ Hip abduction

Lie on your side. Keep your top leg straight. Slowly raise the top leg. Hold for _____ seconds, then relax.



Repeat _____ times with each leg.

□ Sitting kicks


While sitting, straighten the knee of one leg as much as you can. Hold your leg up for _____ seconds.

Repeat _____ times with each leg.

□ Knee raises

While sitting, lift and lower one knee, then the other.

Repeat _____ times with each leg.




Page 4 of 5

□ Sit to stand

Sit in a chair with arms. Slowly stand, pushing up with your leg muscles. Use your arms for balance.


Repeat _____ times.




□ High stepping

Stand with your back straight. Slowly march in place.

Repeat _____ times.





□ Side kicks (hip abduction)

Keeping your toes pointed forward and knee straight, slowly kick one leg out to side. Do not lean to the side.

Repeat _____ times with each leg.

□ Backward kicks (hip extension)

Keeping your toes pointed forward and knee straight, slowly kick one leg back. Do not lean forward.

Repeat _____ times with each leg.

□ Knee bends

Stand with your feet a little wider than shoulder-width apart. Slowly bend your knees, as if you were going to sit in a chair. Keep your knees behind your toes. Return to your starting position.

Repeat _____ times.

□ Step exercise

Step up onto a _____ inch step. Slowly step down.

Repeat _____ times with each leg.



Eg